

Serial No. 09/635,070
Art Unit 2666

IN THE CLAIMS

Claim 1 (cancelled)

Claim 2 (cancelled)

Claim 3 (currently amended) A real time stamp distribution system ~~as defined in claim 1~~ wherein for a multi-element network comprising:

a master network element having timing means to derive a real time stamp;

distribution means to distribute the real time stamp to the remaining network elements, the real time stamp being divided into a low precision portion and a high precision portion, each portion being distributed by a different messaging scheme;

means in the network elements to maintain a record of the most recently distributed real time stamp;

means in the network elements to derive a local time stamp from the recorded time stamp in the event of a failure of the distributed time stamp; and

means in the network elements to derive an estimate of the next real time stamp to be delivered by the master network element.

Claim 4 (original) A real time stamp distribution system as defined in claim 3 wherein an error detector compares the estimated next real time stamp with the distributed real time stamp and provides an error indication if the two values are not in agreement.

Claim 5 (original) A real time stamp distribution system as defined in claim 4 wherein the network elements correct the real time stamp by deriving a time stamp from the local time stamp upon receipt of an error indication.

Claim 6 (original) A real time stamp distribution system as defined in claim 5 wherein a record is kept of the number of occasions that the real time stamp is derived by the network elements from the local time stamp.

Serial No. 09/635,070
Art Unit 2666

Claim 7 (original) A real time stamp distribution system as defined in claim 6 wherein the network element has means to switch over to local time stamp derivation if the number of occasions that an error is detected exceeds a preset number.

Claim 8 (original) A real time stamp distribution system as defined in claim 7 wherein a network element switches over to the local time stamp when a certain number of consecutive errors have been detected.

Claim 9 (cancelled)

Claim 10 (cancelled)

Claim 11 (cancelled)

Claim 12 (currently amended) A real time distribution system as defined in claim 1 for a multi-element network comprising:

a master network element having timing means to derive a real time stamp;
distribution means to distribute the real time stamp to the remaining network elements, the real time stamp being divided into a low precision portion and a high precision portion, each portion being distributed by a different messaging scheme;
means in the network elements to maintain a record of the most recently distributed real time stamp; and

means in the network elements to derive a local time stamp from the recorded time stamp in the event of a failure of the distributed time stamp,

wherein at least one network element has a underrun error detector to compare the record of the high precision portion of the RTS with the low precision portion distributed by the master element and to provide an underrun error signal if the low precision portion is updated before the recorded value indicates such an update is correct.

Claim 13 (currently amended) A real time distribution system as defined in claim 1 for a multi-element network comprising:

a master network element having timing means to derive a real time stamp;

Serial No. 09/635,070
Art Unit 2666

distribution means to distribute the real time stamp to the remaining network elements, the real time stamp being divided into a low precision portion and a high precision portion, each portion being distributed by a different messaging scheme;

means in the network elements to maintain a record of the most recently distributed real time stamp; and

means in the network elements to derive a local time stamp from the recorded time stamp in the event of a failure of the distributed time stamp,

wherein at least one network element has a overrun error detector to compare the record of the high precision portion of the RTS with the low precision portion distributed by the master element and to provide an overrun error signal if the low precision portion is not updated before the recorded value indicates such an update is correct.

Claim 14 (original) A system as defined in claim 12 having error correction means to correct for underrun errors.

Claim 15 (original) A system as defined in claim 13 having error correction means to correct for overrun errors.

Claim 16 (currently amended) A real time distribution system as defined in claim 1 for a multi-element network comprising;

a master network element having timing means to derive a real time stamp;

distribution means to distribute the real time stamp to the remaining network elements, the real time stamp being divided into a low precision portion and a high precision portion, each portion being distributed by a different messaging scheme;

means in the network elements to maintain a record of the most recently distributed real time stamp; and

means in the network elements to derive a local time stamp from the recorded time stamp in the event of a failure of the distributed time stamp,

wherein said real time stamp has a high precision portion, a low precision portion, and an intermediate portion, the intermediate portion being encoded with a deterministic pattern which is known by the network elements.

Serial No. 09/635,070
Art Unit 2666

Claim 17 (original) A system as defined in claim 16 wherein each network element has means to predict the next intermediate portion of the RTS whereby an error detection and correction scheme is implemented.

Claim 18 (original) A system as defined in claim 17 wherein said error correction scheme corrects data errors.

Claim 19 (original) A system as defined in claim 16 wherein software in said network elements detects a software message error when a last value of the deterministic pattern of the intermediate portion of the RTS is received before a low precision portion update has been received.

Claim 20 (original) A system as defined in claim 19 wherein the software in the network elements can correct the software message error.

Claim 21 (cancelled)

Claim 22 (cancelled)